



**SynQuest Laboratories, Inc.**  
PO Box 309, Alachua, FL 32616-0309  
Tel. 386/462-0788; FAX 386/462-7097

## **Material Safety Data Sheet**

Transportation Emergency: 1-800-451-8346

Date last revised: March 29, 2007

Date printed: March 29, 2007

### **SECTION 1. ----- CHEMICAL IDENTIFICATION-----**

CATALOG #: 2817-3-02  
NAME: 2'-(TRIFLUOROMETHYL)ACETOPHENONE

### **SECTION 2. ----- COMPOSITION/INFORMATION ON INGREDIENTS -----**

CAS #: 17408-14-9  
MF: C<sub>9</sub>H<sub>7</sub>F<sub>3</sub>O = 188.15

### **SECTION 3. ----- HAZARDS IDENTIFICATION -----**

#### **LABEL PRECAUTIONARY STATEMENTS**

IRRITANT.  
IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.  
COMBUSTIBLE.

### **SECTION 4. ----- FIRST-AID MEASURES-----**

#### **ORAL EXPOSURE**

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

#### **INHALATION EXPOSURE**

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

#### **DERMAL EXPOSURE**

IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER.

#### **EYE EXPOSURE**

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.

**SECTION 5. ----- FIRE FIGHTING MEASURES -----**

FLASH POINT

184 °F / 84 °C METHOD: CLOSED CUP

EXTINGUISHING MEDIA

SUITABLE: FOR SMALL (INCIPIENT) FIRES, USE MEDIA SUCH AS "ALCOHOL" FOAM, DRY CHEMICAL, OR CARBON DIOXIDE. FOR LARGE FIRES, APPLY WATER FROM AS FAR AS POSSIBLE. USE VERY LARGE QUANTITIES (FLOODING) OF WATER APPLIED AS A MIST OR SPRAY; SOLID STREAMS OF WATER MAY BE INEFFECTIVE. COOL ALL AFFECTED CONTAINERS WITH FLOODING QUANTITIES OF WATER.

FIREFIGHTING

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. SPECIFIC HAZARD(S): EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

EXPOSURE HAZARD(S)

MATERIAL: IRRITANT.

**SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----**

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

ABSORB ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

**SECTION 7. ----- HANDLING AND STORAGE-----**

HANDLING

USER EXPOSURE: DO NOT BREATHE VAPOR. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

STORAGE

SUITABLE: KEEP TIGHTLY CLOSED. KEEP AWAY FROM HEAT AND OPEN FLAME. STORE IN A COOL DRY PLACE.

**SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----**

ENGINEERING CONTROLS

SAFETY SHOWER AND EYE BATH. MECHANICAL EXHAUST REQUIRED.

PERSONAL PROTECTIVE EQUIPMENT

OTHER: WEAR APPROPRIATE GOVERNMENT APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING.

GENERAL HYGIENE MEASURES

REMOVE AND WASH CONTAMINATED CLOTHING PROMPTLY. WASH THOROUGHLY AFTER HANDLING.

**SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----**

APPEARANCE AND ODOR

LIQUID

PHYSICAL PROPERTIES

MELTING POINT: 15-17 °C  
BOILING POINT: 91 °C @ 12 mmHg  
DENSITY: 1.255 g/cm<sup>3</sup> @ 20°C  
FLASH POINT: 184 °F / 84 °C METHOD: CLOSED CUP  
REFRACTIVE INDEX: 1.4584 @ 20 °C

**SECTION 10. -----STABILITY AND REACTIVITY -----**

STABILITY

MATERIALS TO AVOID: OXIDIZING AGENTS, REDUCING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE,  
HYDROGEN FLUORIDE.

**SECTION 11. ----- TOXICOLOGICAL INFORMATION -----**

ROUTE OF EXPOSURE

SKIN CONTACT: CAUSES SKIN IRRITATION.

MULTIPLE ROUTES: VAPOR OR MIST IS IRRITATING TO THE EYES, MUCOUS  
MEMBRANES, AND UPPER RESPIRATORY TRACT. MAY BE HARMFUL BY  
INHALATION, INGESTION, OR SKIN ABSORPTION.

SIGNS AND SYMPTOMS OF EXPOSURE

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND  
TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

**SECTION 12. ----- ECOLOGICAL INFORMATION -----**

DATA NOT YET AVAILABLE.

**SECTION 13. ----- DISPOSAL CONSIDERATIONS -----**

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR  
EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL,  
STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

**SECTION 14. ----- TRANSPORT INFORMATION -----**

DOT

UNRESTRICTED

**SECTION 15. ----- REGULATORY INFORMATION -----**

**EU ADDITIONAL CLASSIFICATION**

SYMBOL OF DANGER: Xi

INDICATION OF DANGER: IRRITANT.

R: 36/37/38

RISK STATEMENTS: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

S: 26-36/37/39

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION.

**US CLASSIFICATION AND LABEL TEXT**

INDICATION OF DANGER: IRRITANT.

RISK STATEMENTS: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION.

US STATEMENTS: COMBUSTIBLE.

**SECTION 16. ----- OTHER INFORMATION -----**

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.